

AA1000-20-3X

AA1000-20-3X Features:

- Flange Mount
- RoHS Compliant
- Customer Defined Testing Available


AA1000-20-3X Parameters:

10dB
DC - 6GHz
±1dB
17dB or Better
20W**
50Ω
Thick Film on AIN
Silver Plated Copper
Silver Plated Copper
-55 to +150°C



AA1000-20-3X Power Derating Curve

100



· High Rated Power

Covered Resistive Element

barryind.com

Barry Industries maintains an ISO9001 Certified Quality Management System and is an ITAR Registered company.

ORIG.	REV.	No.		
MAR 29 2007	AUG 14 2018	С		
PAGE 1 OF 2				

60 Walton St. Attleboro, MA 02703 • T (508) 226-3350 • F (508) 226-3317 • ABSales@Vishay.com



AA1000-20-3X Reliability Data:

Parameter:	Test Condition:	Results:
Short Time Overload	Apply 1.1x Rated Power for 5 Seconds.	≤ 5.0% Resistance Shift
Rated Load Life	Apply 1/2 Power Under 40°C ±2°C 90 Minutes on/ 30 Minutes off. Repeat for 100 hours	≤ 5.0% Resistance Shift
Moisture Resistance	MIL-PRF-55342 para.4.8.9 95% RH, 25°C - 65°C	≤ 5.0% Resistance Shift
Resistance to Soldering Heat (Lead)	MIL-STD-202 Method 210 Test Condition "A"	≤ 5.0% Resistance Shift
Resistance to Soldering Heat (Assembly)	MIL-STD-202 Method 210 Test Condition "J"	≤ 5.0% Resistance Shift
Terminal Strength	MIL-STD-202 Method 211 Test Condition "A" 3lbs. Test Condition "B" 5 bends	No Significant Abnormality (Visual)
Solderability (Lead only)	MIL-STD-202 Method 208 Test C	>95% Covered
High Temperature Storage	125°C ±2°C for 500 Hours	1.) ≤ 5.0% Resistance Shift 2.) No Significant Abnormality (Visual)
Thermal Shock	-5°C to +150°C 30 Minutes Dwell, 5 Cycles	1.) ≤ 5.0% Resistance Shift 2.) No Significant Abnormality (Visual)

Barry Industries reserves the right to change part number and/or process without notification.



Barry Industries maintains an ISO9001 Certified Quality Management System and is an ITAR Registered company.

ORIG.	REV.	No.
MAR 29 2007	AUG 14 2018	С
PA		