

Meets MIL-STD-202 Method 109 Condition F3 Temperature Cycle T50R0-60-49E

### T50R0-60-49E Features:

- TCE Matched, All Brazed Construction
- RoHS Compliant
- Customer Defined Testing Available
- · Enhanced Mechanical Strength
- · Covered Resistor Element
- ±5% Resistor Tolerance

#### T50R0-60-49E Parameters:

Operating Frequency: DC - 6GHz Rated Power: 60W\*

Return Loss (Typical)\*\*: 17dB or Better 50Ω ±5%\*\*\* Impedance:


Resistor Construction: Thick Film on BeO Attached with AuGe Braze

Copper Tungsten Flange Construction:


Lead Construction: Copper Attached with AuGe Braze

-55 to +150°C Operating Temperature:

# T50R0-60-49E Power Derating Curve



# T50R0-60-49E Dimensions:






Dimensions in inches [mm] Tolerance is ± 0.010 [0.254] unless otherwise stated


- \* Rating based on ≤100°C constant flange temperature \*\* In a matched, continious  $50\Omega$  system with proper
- workmanship
  \*\*\* Other values and tolerances available. Contact factory.

# **Ordering Information:**



Barry Industries reserves the right to change part number and/or process without notification.





ORIG.	REV.	No.	
DEC 7 2003	NOV 5 2014	С	
PAGE 1 OF 2			





**60W BeO Flanged Termination**Meets MIL-STD-202 Method 109 Condition F3 <u>Temperature Cycle</u> T50R0-60-49E

# T50R0-60-49E Reliability Data:

Parameter:	Test Condition:	Results:
Short Time Overload	Apply 1.1x Rated Power for 5 Seconds.	≤ 2.0% Resistance Shift
Rated Load Life	Apply Full Power at 100°C ±2°C 90 Minutes on/ 30 Minutes off. Repeat for 1000 hours	≤ 2.0% Resistance Shift
Moisture Resistance	MIL-PRF-55342 para.4.8.9 95% RH, 25°C - 65°C	≤ 2.0% Resistance Shift
Resistance to Soldering Heat (Lead)	MIL-STD-202 Method 210 Test Condition "A"	≤ 2.0% Resistance Shift
Resistance to Soldering Heat (Assembly)	MIL-STD-202 Method 210 Test Condition "J"	≤ 2.0% Resistance Shift
Terminal Strength	MIL-STD-202 Method 211 Test Condition "A" 3lbs. Test Condition "B" 5 bends	No Significant Abnormality (Visual)
Solderability (Lead only)	MIL-STD-202 Method 208 Test C	>95% Covered
High Temperature Storage	125°C ±2°C for 500 Hours	<ul><li>1.) ≤ 2.0% Resistance Shift</li><li>2.) No Significant Abnormality (Visual)</li></ul>
Thermal Shock	-65°C to +150°C Each Cycle 30 Minutes for 500 Hours	<ul><li>1.) ≤ 2.0% Resistance Shift</li><li>2.) No Significant Abnormality (Visual)</li></ul>

For further detail on the advantages of using TCE Matched Copper-Tungsten flange mount devices from Barry Industries please refer to the Application Note 'Finite Element Analysis of a High Power Resistor'. This document can be found on the Barry Industries website: www.barryind.com.

Barry Industries reserves the right to change part number and/or process without notification.





ORIG.	REV.	No.	
NOV 7 2003	NOV 5 2014	С	
PAGE 2 OF 2			