## T50R0-60-50E Features:

• TCE Matched, All Brazed Construction

Customer Defined Testing Available

T50R0-60-50E Parameters:

RoHS Compliant

**Operating Frequency:** 

Return Loss (Typical)\*\*:

**Resistor Construction:** 

Flange Construction:

Operating Temperature:

Lead Construction:

Rated Power:

Impedance:

Enhanced Mechanical Strength

Thick Film on BeO Attached with AuGe Braze

Copper Attached with AuGe Braze

- Covered Resistor Element
- ±5% Resistor Tolerance

DC - 6GHz

17dB or Better

Copper Tungsten


-55 to +250°C

50Ω ±5%\*\*\*


60W\*



## T50R0-60-50E Power Derating Curve



## T50R0-60-50E Dimensions:



Barry Industries reserves the right to change part number and/or process without notification.



Barry Industries maintains an ISO9001 Certified Quality Management System and is an ITAR Registered company.

ORIG.	REV.	No.	
DEC 7 2003	FEB 1 2017	F	
PAGE 1 OF 2			

60 Walton St. Attleboro, MA 02703 • T (508) 226-3350 • F (508) 226-3317 • sales@barryind.com



## T50R0-60-50E Reliability Data:

Parameter:	Test Condition:	Results:
Short Time Overload	Apply 1.1x Rated Power for 5 Seconds.	≤ 2.0% Resistance Shift
Rated Load Life	Apply Full Power at 100°C ±2°C 90 Minutes on/ 30 Minutes off. Repeat for 1000 hours	≤ 2.0% Resistance Shift
Moisture Resistance	MIL-PRF-55342 para.4.8.9 95% RH, 25°C - 65°C	≤ 2.0% Resistance Shift
Resistance to Soldering Heat (Lead)	MIL-STD-202 Method 210 Test Condition "A"	≤ 2.0% Resistance Shift
Resistance to Soldering Heat (Assembly)	MIL-STD-202 Method 210 Test Condition "J"	≤ 2.0% Resistance Shift
Terminal Strength	MIL-STD-202 Method 211 Test Condition "A" 3lbs. Test Condition "B" 5 bends	No Significant Abnormality (Visual)
Solderability (Lead only)	MIL-STD-202 Method 208 Test C	>95% Covered
High Temperature Storage	125°C ±2°C for 500 Hours	1.) ≤ 2.0% Resistance Shift 2.) No Significant Abnormality (Visual)
Thermal Shock	-65°C to +150°C Each Cycle 30 Minutes for 500 Hours	1.) ≤ 2.0% Resistance Shift 2.) No Significant Abnormality (Visual)

For further detail on the advantages of using TCE Matched Copper-Tungsten flange mount devices from Barry Industries please refer to the Application Note 'Finite Element Analysis of a High Power Resistor'. This document can be found on the Barry Industries website: www.barryind.com.

Barry Industries reserves the right to change part number and/or process without notification.



Barry Industries maintains an ISO9001 Certified Quality Management System and is an ITAR Registered company.

ORIG.	REV.	No.		
NOV 7 2003	FEB 1 2017	F		
PAGE 2 OF 2				

60 Walton St. Attleboro, MA 02703 • T (508) 226-3350 • F (508) 226-3317 • sales@barryind.com